







Transport Malta

Malta Transport Centre Marsa, MRS 1917 Malta

Tel: (356) 2122 2203 Fax: (356) 2125 0365 Email: info.tm@transport.gov.mt

www.transport.gov.mt

PORTS AND YACHTING DIRECTORATE

NOTICE TO MARINERS NO 03 of 2018

Our Ref: TM/PYD/ 299/81 Vol XII

04 January 2018

Chart Correction.

Reference is made to BA Chart 177 – Valletta Harbours.

The Ports and Yachting Directorate, Transport Malta notifies Mariners of the following changes at Id-Dahla tal-Pieta in Il-Port ta' Marsamxett (as shown on attached chart).

				Latitude (N)	Longitude (E)
1) Delete legend: Gozo Cargo Ferry centered on				35° 53'.660	014° 29'.957
2) Insert floating ponto	oons		from to from to from to from to	35° 53'.680 35° 53'.742 35° 53'.669 35° 53'.744 35° 53'.662 35° 53'.750 35° 53'.662 35° 53'.753 35° 53'.659 35° 53'.634	014° 30'.005 014° 29'.982 014° 29'.957 014° 29'.964 014° 29'.919 014° 29'.926 014° 29'.887 014° 29'.895 014° 29'.884 014° 29'.879
3) Insert ledgends	A B C D E	centered on centered on centered on centered on centered on		35° 53'.671 35° 53'.660 35° 53'.653 35° 53'.656 35° 53'.642	014° 30'.010 014° 29'.957 014° 29'.919 014° 29'.894 014° 29'.891









Transport Malta


4) Insert dashed lines, indicating limit of revetment area, by joining the following points:

1	Coast	35° 53'.650	014° 29'.833
2		35° 53'.664	014° 29'.843
3		35° 53'.662	014° 29'.854
4		35° 53'.703	014° 29'.862
5		35° 53'.704	014° 29'.856
6		35° 53'.761	014º 29'.868
7		35° 53'.761	014º 29'.866
8	Coast	35° 53'.775	014º 29'.854

5) Insert revetment indication in the area between the above mentioned dashed lines (item 4) and the intermediate coast (area shown hatched on attached chart).

Positions is in WGS 84 Datum.Chart

Chart Affected: BA Chart 177



©British Crown Copyright 1970, 1983, 1986, 1988, 1999, 2000. All rights reserved

The UK Hydrographic Office makes the accompanying data available to Transport Malta under the terms and conditions of agreement HO 1427/020930/01.

DISCLAIMER

Whilst the UK Hydrographic Office has endeavoursed to ensure that the material supplied is sultable for the purpose described it accepts no lability (to the naximum extent permitted by (aw) for any damage or loss of any nature arising from its user for any damage or loss of any nature arising from its with the material supplied is used entirely at the Recipient's own risk.