

Annex 4: Placement, Spacings and "Tile" Widths

Annex 4a: Placement of Characters on Virtual "Tiles" as in UK TSM7,

Figure 2-1




Figure 2-1

Annex 4b: Horizontal Spacing of Sign Elements as in UK TSM3, Figure 2-2





Figure 2-2

Annex 4c: Abbreviated Place-names and Spacings



Special spacing which applies when an apostrophe is followed by lower case letters "b", "h", "k", or "l"

Figure 2-3

Annex 4D: Tile (Virtual) Widths

Table 1: Tile widths for Transport Medium alphabet

The widths are given in stroke widths (1/4 of the x-height)

Upper case	Lower case	Numerals	Punctuation marks etc
A 5.44	a 4.44	1 3.16	& 5.04
B 5.88	b 4.68	2 4.80	(4.20
C 5.92	c 4.12	3 5.08) 4.20
D 6.16	d 4.76	4 5.28	? 5.52
E 5.28	e 4.36	5 4.88	. 2.12 full stop
F 4.76	f 3.00	6 5.04	· 2.12 raised point
G 6.20	g 4.56	7 4.16	: 2.12 colon
H 6.40	h 4.48	8 5.20	, 2.60 comma
I 2.92	i 2.16	9 5.12	' 1.56 apostrophe
J 3.72	j 2.32	0 5.32	- 2.64 hyphen
K 5.52	k 4.32		ˆ 3.40 feet
L 4.28	l 2.48	¼ 4.92	* 3.68 inches
M 7.36	m 6.56	½ 5.28	/ 3.12 (lower case)
N 6.72	n 4.48	¾ 5.92	/ 3.12 (upper case)
O 6.24	o 4.72	⅓ 5.16	£ 5.36
P 5.20	p 4.72	⅔ 6.60	% 6.40
Q 6.32	q 4.72		
R 5.64	r 3.20		
S 5.48	s 3.88		
T 4.36	t 3.24		
U 6.16	u 4.60		
V 5.20	v 3.92		
W 7.32	w 5.88		
X 5.12	x 4.16		
Y 4.92	y 3.92		
Z 4.76	z 3.88		

UPPER CASE widths when followed by lower case a, e, g, o, r, or u :-

T 3.92; V 4.52; Y 4.44

UPPER CASE W is 7.56 wide when followed by upper case T, V, X, Y or Z