

PORTS AND YACHTING DIRECTORATE

Ref: TM/PYD/PN/01/2021

To: Ship Owners and Operators Ship Agents Ship Masters Terminals and Marine Facilities and Operators



Transport Malta

Malta Transport Centre, Triq Pantar, Hal Lija, LIA 2021 Malta

Tel: (356) 2122 2203 Fax: (356) 2125 0365 Email: info.tm@transport.gov.mt

www.transport.gov.mt

Minimum Towage Requirements – Revision 1.0

Mariners are advised that with immediate effect the Towage Requirements – Revision 1.0 as specified in the table annexed to this Notice – Annex I & II, apply within Maltese ports and approaches.

The Authority reminds all that towage is regulated in terms of the Authority for Transport in Malta Act (Cap.499) and the Towage (Tariff of Rates) Regulations (S.L. 499.49) of the Laws of Malta. Towage shall be under the supervision and regulation of the Authority at all times.

Cruise Liners, scheduled Liner Ro-Ro & Ro-Pax vessels together with Authorised Bunker Barges and Authorised High Speed Craft (HSC) are normally exempt from minimum tug requirements, as specified in the Annex to this Port Notice, subject to Master/Pilot Information Exchange and vessels passage plan taking into account the prevailing weather circumstances and conditions.

The Authority may, under specific circumstances and on application, exempt a specific vessel/s from these minimum tug requirements.

Furthermore, in terms of the Harbour Towage Agreement, it is to be reminded that Tug Malta Ltd is the appointed exclusive harbour towage service provider, including tug assistance from one port to another, in the port areas defined in Part I and Part II of the Schedule to the Ports and Shipping Act (Cap. 352) and their approaches, and other emergency services.

In case of disabled vessels, cold moves or exceptional circumstances tug requirements may be increased on the basis of an assessment conducted by the Ship's Masters and the Pilot and confirmed by the Harbour Master.

Day light restrictions apply in the case if specific berths ad docking operations.

The Authority Reserves the right to alter tug requirements as directed by the Harbour Master.

Port Notice No 14 of 2020 is hereby being repealed.

Capt David Bugeja Chief Officer and Harbour Master

17 February 2021

				Up to 100m 1 Tug (i)	Fuel			>130 - 200m 2 Tugs	Up to 130m 2 Tugs (i)	Menqa Basin *		>239m 4 Tugs	>200 – 239m 3 Tugs (iii)	>100 – 200m 2 Tugs (i)	Up to 100m 1 Tug (i)	Ricasoli Tank Cleaning Farm	Ship's Bert Length	
				(i) 1 Tug (i)	Fuel Wharf			s 2 Tugs	s (i) 1 Tug	Basin *		s 4 Tugs	s (iii) 3 Tugs (iii)	s (i) 2 Tugs (i)	(i) 1 Tug (i)	Cleaning Farm	Berthing Unberthing	
	> 200m	>150 - 200m	>100 – 150m	Up to 100m	Laboratory	> 200m	>150 - 200m	>100 - 150m	Up to 100m	Pinto Whar			>200m	>100 - 200m	Up to 100m	Palumbo Sł	Ship's Length	
	3 Tugs (iii)	2 Tugs (i)	1 Tug (i)	0 Tug	Laboratory / Magazine Lab South 1 / 2 Wharfs	3 Tugs (iii)	2 Tugs	1 Tug	0 Tug	Pinto Wharfs and Deep-Water Quays			3 Tugs (iii)	2 Tugs	1 Tug (i)	Palumbo Shipyards – Wharfs Quays*	Berthing	
1	2 Tups	2 Tugs (i)	1 Tug (i)	0 Tug	South 1 / 2	2 Tugs (iii)	2 Tugs (i)	1 Tug	0 Tug	iter Quays			3 Tugs (iii)	2 Tugs	1 Tug (i)	fs Quays*	Unberthing	9
							>170m	>100 - 170m	Up to 100m	Malta N	> 300m	>239m	>200 - 239m	>100 - 200m	Up to 100m	Palum	Ship's Length	GRAND HARBOUR
							3 Tugs	2 Tugs	1 Tug (i)	Malta Maritime Hub Basin ***	4 Tugs (iv)	4 Tugs (i)	3 Tugs (iii)	2 Tugs (ii)	1 Tug (ii)	Palumbo Shipyards Docks *	Berthing	R
							2 Tugs (i)	2 Tugs	1 Tug (i)	Basin ***	4 Tugs (iv)	4 Tugs (i)	3 Tugs (iii)	2 Tugs (ii)	1 Tug (ii)	Docks *	Unberthing	
	4		-20									> 200m	>160 - 200m	>130 - 160m	Up to 130m		Ship's Length	
												2 Tugs	2 Tugs	2 Tugs (i)	1 Tug	Bighi & Fish market (on anchors) *	Berthing	
												2 Tugs	2 Tugs	2 Tugs (i)	0 Tug	n anchors) *	Unberthing	

MINIMUM TOWAGE REQUIREMENTS – Revision 1.0

(ii) (ii) (iii) (iii)

If a vessel has a functional bow thruster and /or stern thruster and favourable weather conditions allow, tug resources may be reduced by 1 (one) in line with Port Notice. In case of docking operations depending on the prevailing circumstances, additional tug resources may be used in line with Port Notice.

Vessels with more than 40 metres of beam shall be assisted by 4 Tugs. Subject to favourable weather conditions and available sea room apply.

* Daylight restriction applies

* * * Only outbound manoeuvres

Night-time manoeuvres limited to vessel fitted with bow and stern thruster/twin propellers

Annex 1

berthing			
gth Berthing Unberthing Mgarr Harbour Quay #3 *	1 Tug (i)	1 Tug	Up to 80 m
Berthing Unberthing			
		Bertning	omb s reußtu
	11 		chin's land

Notes:

Ξ If a vessel has a functional bow thruster and /or stern thruster and favourable weather conditions allow, tug resources may be reduced by 1 (one) in line with Port Notice.

* *

Daylight restriction applies. Daylight restrictions apply for inbound.

r) r)